

**SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION.****W. F. Taylor Co., Inc.**

11545 Pacific Avenue  
Fontana, CA 92337-8228  
951/360-6677  
CHEMICAL EMERGENCY HOTLINE 1-800-535-5053

PRODUCT NAME: **2062 Premium Fiberglass Sheetgoods Seam Sealer**  
ITEM NUMBER: 2062-08  
ITEM DESCRIPTION: 2062 Premium Fiberglass Sheetgoods Seam Sealer 8 oz.  
PRODUCT DESCRIPTION: Latex Based Adhesive  
CHEMICAL FAMILY: Latex Polymer Blend  
REVISION DATE: 12/21/10

## HMIS HAZARD RATING

LEAST: 0	HEALTH: 1
SLIGHT: 1	FLAMMABLE: 0
MODERATE: 2	REACTIVITY: 0
HIGH: 3	
EXTREME: 4	

PREPARED BY: ROBERT DDAMULIRA  
PREEMPTS PREVIOUS MSDS SHEETS

**SECTION II HAZARDOUS INGREDIENTS**

<u>COMPONENT/CAS #</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>% WT</u>	<u>NOTES</u>
NO HAZARDOUS INGREDIENTS PER CURRENT OSHA REGULATIONS				

**SECTION III PHYSICAL DATA**

BOILING POINT: 212 DEGREES F  
LBS / GALLON: 8.3 - 8.6  
EVAPORATION RATE: SAME AS WATER  
VAPOR DENSITY: SAME AS WATER  
VAPOR PRESSURE: SAME AS WATER  
PERCENT VOLATILE: 46 - 50 (BY WEIGHT)  
COLOR: OFF WHITE  
ODOR: SLIGHT AMMONIA-LIKE ODOR

**SECTION IV FIRE AND EXPLOSION HAZARD DATA**

DOT CATEGORY: NOT REGULATED  
FLASH POINT: NONE LEL: NA  
EXTINGUISHING MEDIA: NONE REQUIRED  
UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE  
SPECIAL FIRE FIGHTING PROCEDURES: NONE

**SECTION V HEALTH HAZARD IDENTIFICATION**

SYMPTOMS OF OVER EXPOSURE:  
INHALATION: NONE KNOWN  
EYES: MAY CAUSE MILD IRRITATION  
SKIN: NONE KNOWN  
INGESTION: NONE KNOWN

PRODUCT NAME: **2062 Premium Fiberglass Sheetgoods Seam Sealer**  
ITEM NUMBER: 2062-08  
ITEM DESCRIPTION: 2062 Premium Fiberglass Sheetgoods Seam Sealer 8 oz.  
REVISION DATE: 12/21/10

---

#### **SECTION VI FIRST AID PROCEDURES**

**FIRST AID PROCEDURES:**

EYES: FLUSH WITH WATER

SKIN: WASH WITH SOAP AND WATER

INHALATION: REMOVE TO FRESH AIR IF NEEDED

INGESTION: DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY.

---

#### **SECTION VII HANDLING AND STORAGE**

PRECAUTION FOR HANDLING AND STORING: DO NOT PUNCTURE.

KEEP OUT OF THE REACH OF CHILDREN.

PROTECT FROM FREEZING

CAUTION: DO NOT TAKE INTERNALLY. IF SWALLOWED, DO NOT INDUCE VOMITING, CALL PHYSICIAN IMMEDIATELY.

---

#### **SECTION VIII SPECIAL PROTECTION INFORMATION**

RESPIRATORY PROTECTION: NONE NEEDED

VENTILATION: LOCAL EXHAUST

PROTECTIVE GLOVES: NONE REQUIRED

EYES: GOGGLES

OTHER PROTECTIVE EQUIPMENT: NONE

---

#### **SECTION IX SPILL OR LEAK PROCEDURES**

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED

KEEP OUT OF SEWER SYSTEMS TO PREVENT BLOCKAGE DUE TO POLYMER DEPOSITS. USE ABSORBENT MATERIAL TO COLLECT AND/OR SCRAPE UP EXCESS AND PLACE INTO CLOSED DOT APPROVED CONTAINERS FOR DISPOSAL.

---

#### **SECTION X STABILITY AND REACTIVITY DATA**

STABILITY: STABLE

CONDITIONS TO AVOID: KEEP AWAY FROM EXTREME TEMPERATURE CONDITIONS

INCOMPATIBILITY-MATERIALS TO AVOID: NONE KNOWN

HAZARDOUS DECOMPOSITION PRODUCTS: NONE KNOWN

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

---

#### **SECTION XI TOXICOLOGICAL PROPERTIES**

NOT AVAILABLE

---

#### **SECTION XII ECOLOGICAL INFORMATION**

NOT AVAILABLE

---

#### **SECTION XIII DISPOSAL CONSIDERATION**

WASTE DISPOSAL: ABIDE BY ALL STATE, FEDERAL AND LOCAL REGULATIONS

---

#### **SECTION XIV: TRANSPORTATION INFORMATION**

PROPER SHIPPING NAME: NOT APPLICABLE

PROPER HAZARD CLASS: NOT HAZARDOUS

HAZARD CODE: NOT HAZARDOUS

---

#### **SECTION XV REGULATORY INFORMATION**

OSHA HAZARD COMMUNICATION STANDARD(29CFR 1910.1200)HAZARD CLASS(ES): NONE

SARA TITLE III SECTION 312 HAZARD CLASS: NONE

EPA SARA TITLE III SECTION 313: NONE

---

CALIFORNIA PROPOSITION 65: THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF

---

PRODUCT NAME: **2062 Premium Fiberglass Sheetgoods Seam Sealer**  
ITEM NUMBER: 2062-08  
ITEM DESCRIPTION: 2062 Premium Fiberglass Sheetgoods Seam Sealer 8 oz.  
REVISION DATE: 12/21/10

---

CALIFORNIA TO CAUSE CANCER AND/OR REPRODUCTIVE HARM.

RESIDUAL CHLOROPRENE MONOMER (CAS# 126-99-8) - LESS THAN 14 PPM

---

**SECTION XVI OTHER INFORMATION**

W.F. TAYLOR BELIEVES THE DATA SET FORTH HEREIN ARE ACCURATE AS OF THE DATE  
HEREOF. TAYLOR MAKES NO WARRANTY WITH RESPECT THERETO AND EXPRESSLY DISCLAIMS ALL  
LIABILITY FOR RELIANCE THEREON. SUCH DATA ARE OFFERED SOLELY FOR YOUR CONSIDERATION,  
INVESTIGATION AND VERIFICATION.

---