

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION.**W. F. Taylor Co., Inc.**

11545 Pacific Avenue
Fontana, CA 92337-8228
951/360-6677
CHEMICAL EMERGENCY HOTLINE 1-800-535-5053

PRODUCT NAME: **Latex Based Pad-Hesive**
ITEM NUMBER: 722-1
ITEM DESCRIPTION: 722 Latex Fast Tac Pad-Hesive 1-gal
PRODUCT DESCRIPTION: LATEX BASED ADHESIVE
CHEMICAL FAMILY: HYDROCARBON RESIN AND SYNTHETIC LATEX ADHESIVE
REVISION DATE: 12/21/10

HMIS HAZARD RATING

LEAST: 0 HEALTH: 1
SLIGHT: 1 FLAMMABLE: 0
MODERATE: 2 REACTIVITY: 0
HIGH: 3
EXTREME: 4

PREPARED BY: ROBERT DDAMULIRA
PREEMPTS PREVIOUS MSDS SHEETS

SECTION II HAZARDOUS INGREDIENTS

<u>COMPONENT/CAS #</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>% WT</u>	<u>NOTES</u>
NO HAZARDOUS INGREDIENTS PER CURRENT OSHA REGULATIONS				

SECTION III PHYSICAL DATA

BOILING POINT: 212 DEGREES F
LBS / GAL: 9.5 - 10
VAPOR PRESSURE, MM HG AT 20 DEGREES C: N.D.
EVAPORATION RATE: SAME AS WATER
VAPOR DENSITY: > 1 (AIR=1)
PERCENT VOLATILE: 35 - 40 (BY WEIGHT)
COLOR: BEIGE COLORED LIQUID
ODOR: MILD

SECTION IV FIRE AND EXPLOSION HAZARD DATA

FLASH POINT, TAG C.C.: N.A.
AUTO IGNITION TEMPERATURE, F: N.A.
FLAAMABLE LIMITS IN AIR, VOLUME %: LOWER: N.A. UPPER: N.A.
FIRE EXTINGUISHING MEDIA: WATER SPRAY, CARBON DIOXIDE, FOAM, DRY CHEMICAL
SPECIAL FIREFIGHTING PROCEDURES: WEAR SELF CONTAINED BREATING APPARATUS
UNUSUAL FIRE AND EXPLOSION HAZARD: DRY FILM WILL BURN

SECTION V HEALTH HAZARD IDENTIFICATION

SYMPTOMS OF OVER EXPOSURE:
INHALATION: NONE KNOWN
EYES: MAY CAUSE MILD IRRITATION
SKIN: NONE KNOWN
INGESTION: NONE KNOWN

PRODUCT NAME: **Latex Based Pad-Hesive**
ITEM NUMBER: 722-1
ITEM DESCRIPTION: 722 Latex Fast Tac Pad-Hesive 1-gal
REVISION DATE: 12/21/10

SECTION VI FIRST AID PROCEDURES

FIRST AID PROCEDURES:

EYES: FLUSH WITH WATER
SKIN: WASH WITH SOAP AND WATER
INHALATION: REMOVE TO FRESH AIR IF NEEDED

INGESTION: DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY.

SECTION VII HANDLING AND STORAGE

PRECAUTION FOR HANDLING AND STORING: DO NOT PUNCTURE.
KEEP OUT OF THE REACH OF CHILDREN.
PROTECT FROM FREEZING
CAUTION: DO NOT TAKE INTERNALLY. IF SWALLOWED, DO NOT INDUCE VOMITING, CALL PHYSICIAN IMMEDIATELY.

SECTION VIII SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: NONE NEEDED
VENTILATION: LOCAL EXHAUST
PROTECTIVE GLOVES: NONE REQUIRED
EYES: GOGGLES
OTHER PROTECTIVE EQUIPMENT: NONE

SECTION IX SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED
KEEP OUT OF SEWER SYSTEMS TO PREVENT BLOCKAGE DUE TO POLYMER DEPOSITS. USE ABSORBENT MATERIAL TO COLLECT AND/OR SCRAPE UP EXCESS AND PLACE INTO CLOSED DOT APPROVED CONTAINERS FOR DISPOSAL.

SECTION X STABILITY AND REACTIVITY DATA

STABILITY: STABLE
CONDITIONS TO AVOID: KEEP AWAY FROM EXTREME TEMPERATURE CONDITIONS
INCOMPATIBILITY-MATERIALS TO AVOID: NONE KNOWN
HAZARDOUS DECOMPOSITION PRODUCTS: NONE KNOWN
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION XI TOXICOLOGICAL PROPERTIES

NOT AVAILABLE

SECTION XII ECOLOGICAL INFORMATION

NOT AVAILABLE

SECTION XIII DISPOSAL CONSIDERATION

WASTE DISPOSAL: ABIDE BY ALL STATE, FEDERAL AND LOCAL REGULATIONS

SECTION XIV: TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: NOT APPLICABLE
PROPER HAZARD CLASS: NOT HAZARDOUS
HAZARD CODE: NOT HAZARDOUS

SECTION XV REGULATORY INFORMATION

OSHA HAZARD COMMUNICATION STANDARD(29CFR 1910.1200)HAZARD CLASS(ES): NONE
SARA TITLE III SECTION 312 HAZARD CLASS: NONE
EPA SARA TITLE III SECTION 313: NONE

PRODUCT NAME: **Latex Based Pad-Hesive**
ITEM NUMBER: 722-1
ITEM DESCRIPTION: 722 Latex Fast Tac Pad-Hesive 1-gal
REVISION DATE: 12/21/10

SECTION XVI OTHER INFORMATION

W.F. TAYLOR BELIEVES THE DATA SET FORTH HEREIN ARE ACCURATE AS OF THE DATE
HEREOF. TAYLOR MAKES NO WARRANTY WITH RESPECT THERETO AND EXPRESSLY DISCLAIMS ALL
LIABILITY FOR RELIANCE THEREON. SUCH DATA ARE OFFERED SOLELY FOR YOUR CONSIDERATION,
INVESTIGATION AND VERIFICATION.
