

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION.**W. F. Taylor Co., Inc.**

11545 Pacific Avenue
 Fontana, CA 92337-8228
 951/360-6677
 CHEMICAL EMERGENCY HOTLINE 1-800-535-5053

PRODUCT NAME: **CERAMIC TILE ADHESIVE ODYSSEY 901**
 ITEM NUMBER: 901-1
 ITEM DESCRIPTION: 901 Ceramic Tile Adhesive Odyssey 901 1-gal
 PRODUCT DESCRIPTION: MASTIC
 CHEMICAL FAMILY: SYNTHETIC LATEX BLEND
 REVISION DATE: 12/21/10

HMIS HAZARD RATING

LEAST: 0	HEALTH: 1
SLIGHT: 1	FLAMMABLE: 0
MODERATE: 2	REACTIVITY: 0
HIGH: 3	
EXTREME: 4	

PREPARED BY: ROBERT DDAMULIRA
 PREEMPTS PREVIOUS MSDS SHEETS

SECTION II HAZARDOUS INGREDIENTS

<u>COMPONENT/CAS #</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>% WT</u>	<u>NOTES</u>
SOLVENT NAPHTHA 64742-887	100 PPM	500 PPM	< 2.0	SARA Rep.
ETHYLENE GLYCOL 107-21-1	50 PPM	50 PPM	< 2.0	SARA Rep.

RESIDUAL AMOUNTS OF MONOMERS AND FORMALDEHYDE

SECTION III PHYSICAL DATA

BOILING POINT: NO DATA
 LBS / GAL: 12 - 14
 VAPOR PRESSURE,MMHG AT 20 DEGREES C: ND
 EVAPORATION RATE: SAME AS WATER
 VAPOR DENSITY: SAME AS WATER
 SOLUBILITY IN WATER: DILUTABLE
 PERCENT VOLATILE: 32 - 36 (BY WEIGHT)
 COLOR: WHITE
 ODOR: NIL

SECTION IV FIRE AND EXPLOSION HAZARD DATA

FLASH POINT, TAG C.C.: N.A.
 AUTO IGNITION TEMPERATURE, F: N.A.
 FLAAMABLE LIMITS IN AIR, VOLUME %: LOWER: N.A. UPPER: N.A.
 FIRE EXTINGUISHING MEDIA: WATER SPRAY, CARBON DIOXIDE, FOAM, DRY CHEMICAL
 SPECIAL FIREFIGHTING PROCEDURES: WEAR SELF CONTAINED BREATHING APPARATUS
 UNUSUAL FIRE AND EXPLOSION HAZARD: NONE KNOWN

SECTION V HEALTH HAZARD IDENTIFICATION

SYMPTOMS OF OVER EXPOSURE:
 INHALATION: MAY IRRITATE RESPIRATORY TRACT
 EYES: MAY RESULT IN IRRITATION
 SKIN: MAY RESULT IN IRRITATION
 INGESTION: MAY RESULT IN GASTRIC DISTURBANCES

PRODUCT NAME: **CERAMIC TILE ADHESIVE ODYSSEY 901**
ITEM NUMBER: 901-1
ITEM DESCRIPTION: 901 Ceramic Tile Adhesive Odyssey 901 1-gal
REVISION DATE: 12/21/10

PRIMARY ROUTE OF EXPOSURE:

ROUTES OF ENTRY FOR SOLIDS AND LIQUIDS INCLUDE EYE AND SKIN CONTACT, INGESTION AND INHALATION.

ACUTE OVEREXPOSURE:

EYES AND SKIN CONTACT MAY RESULT IN IRRITATION. INHALATION MAY RESULT IN RESPIRATORY IRRITATION, INGESTION MAY RESULT IN GASTRIC DISTURBANCES.

CHRONIC EXPOSURE:

NONE KNOWN

SECTION VI FIRST AID PROCEDURES

FIRST AID PROCEDURES:

EYES: FLUSH WITH WATER

SKIN: WASH WITH SOAP AND WATER

INHALATION: REMOVE TO FRESH AIR IF NEEDED

INGESTION: DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY.

SECTION VII HANDLING AND STORAGE

PRECAUTION FOR HANDLING AND STORING: DO NOT PUNCTURE.

KEEP OUT OF THE REACH OF CHILDREN.

PROTECT FROM FREEZING

CAUTION: DO NOT TAKE INTERNALLY. IF SWALLOWED, DO NOT INDUCE VOMITING, CALL PHYSICIAN IMMEDIATELY.

SECTION VIII SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: NONE NEEDED

VENTILATION: LOCAL EXHAUST

PROTECTIVE GLOVES: NONE REQUIRED

EYES: GOGGLES

OTHER PROTECTIVE EQUIPMENT: NONE

SECTION IX SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED

KEEP OUT OF SEWER SYSTEMS TO PREVENT BLOCKAGE DUE TO POLYMER DEPOSITS. USE ABSORBENT MATERIAL TO COLLECT AND/OR SCRAPE UP EXCESS AND PLACE INTO CLOSED DOT APPROVED CONTAINERS FOR DISPOSAL.

SECTION X STABILITY AND REACTIVITY DATA

STABILITY: STABLE

FREEZE THAW STABILITY: UP TO 5 CYCLES AT 10 DEGREES F

CONDITIONS TO AVOID: KEEP AWAY FROM EXTREME TEMPERATURE CONDITIONS

INCOMPATIBILITY-MATERIALS TO AVOID: NONE KNOWN

HAZARDOUS DECOMPOSITION PRODUCTS: NONE KNOWN

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION XI TOXICOLOGICAL PROPERTIES

CHRONIC/SUBCHRONIC DATA:

FORMALDEHYDE IS A MINOR VOLATILE COMPONENT OF THIS PRODUCT. RECENT TEST RESULTS HAVE SHOWN FORMALDEHYDE TO CAUSE CANCER IN LABORATORY ANIMALS. FORMALDEHYDE IS READILY DETECTED BY ITS IRRITANT PROPERTIES. THE ODOR DETECTION LEVEL VARIES WITH INDIVIDUALS BETWEEN 0.2 PPM TO 1 PPM. ALSO ACCLIMATION OCCURS FROM REPEATED EXPOSURE BUT SENSITIVITY

PRODUCT NAME: **CERAMIC TILE ADHESIVE ODYSSEY 901**
ITEM NUMBER: 901-1
ITEM DESCRIPTION: 901 Ceramic Tile Adhesive Odyssey 901 1-gal
REVISION DATE: 12/21/10

RETURNS FOLLOWING REST PERIODS AWAY FROM ATMOSPHERES CONTAINING FORMALDEHYDE. WHETHER RISK EXISTS AT LEVELS BELOW THE ODOR THRESHOLD HAS NOT BEEN DETERMINED.

SECTION XII ECOLOGICAL INFORMATION

NOT AVAILABLE

SECTION XIII DISPOSAL CONSIDERATION

WASTE DISPOSAL: ABIDE BY ALL STATE, FEDERAL AND LOCAL REGULATIONS

SECTION XIV: TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: NOT APPLICABLE
PROPER HAZARD CLASS: NOT HAZARDOUS
HAZARD CODE: NOT HAZARDOUS

SECTION XV REGULATORY INFORMATION

ALL COMPONENTS IN THIS PRODUCT ARE LISTED IN TSCA INVENTORY
OSHA HAZARD COMMUNICATION STANDARD(29CFR 1910.1200)HAZARD CLASS(ES): NONE
SARA TITLE III SECTION 312 HAZARD CLASS: NONE
EPA SARA TITLE III SECTION 313: NONE

CALIFORNIA PROPOSITION 65: THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND/OR REPRODUCTIVE HARM.

SECTION XVI OTHER INFORMATION

W.F. TAYLOR BELIEVES THE DATA SET FORTH HEREIN ARE ACCURATE AS OF THE DATE HEREOF. TAYLOR MAKES NO WARRANTY WITH RESPECT THERETO AND EXPRESSLY DISCLAIMS ALL LIABILITY FOR RELIANCE THEREON. SUCH DATA ARE OFFERED SOLELY FOR YOUR CONSIDERATION, INVESTIGATION AND VERIFICATION.
